

IN THE CLAIMS

Please amend the claims as follows:

Claims 1-28 (canceled)

Claim 29 (currently amended): A container comprising:

a container body configured to hold toner;

a mouthpiece configured to ~~connect an outside of the container body with an inside of the container body and~~ deliver toner from the container body, the mouthpiece including,

[[an]] a circular outlet, and

engagement ~~portions~~ openings located at positions opposed to each other around the circular outlet, wherein,

the circular outlet is positioned at a center location between the ~~positions of the~~ engagement ~~portions~~ openings, and

the engagement ~~portions~~ openings are configured to engage with guide members provided at a setting portion on which the container is to be mounted.

Claim 30 (currently amended): The container according to Claim 29, wherein the container body includes [[an]] a container opening to which the mouthpiece is attachable.

Claim 31 (currently amended): The container according to Claim 29, wherein the engagement ~~portions~~ openings are configured to indicate a type of the toner held by the container body.

Claim 32 (currently amended): The container according to Claim 31, wherein the engagement ~~portions~~ openings are positioned about the circular outlet according to the type of the toner held by the container body.

Claim 33 (currently amended): An image formation apparatus comprising:

a main body including a plurality of setting portions; and

a plurality of containers arranged to be mounted to the plurality of setting portions,  
each of the containers including,

a container body configured to hold toner of a ~~different~~ color different from  
colors of toner stored in container bodies of others of the plurality of containers;

a mouthpiece configured to ~~connect an outside of the container body with an~~  
~~inside of the container body and~~ deliver toner from the container body, the  
mouthpiece including,

[[an]] a circular outlet, and

engagement ~~portions~~ openings located at positions opposed to each  
other around the circular outlet, wherein for each container,  
the circular outlet is positioned at a center location between the positions of the  
engagement ~~portions~~ openings,

the engagement ~~portions~~ openings are configured to engage with guide members  
provided at the setting portion on which the corresponding container is to be mounted, and

a position of the container in the image forming apparatus is based on compatibility  
between the engagement ~~portions~~ openings of the mouthpiece and the guide members  
provided at the setting portion.

Claim 34 (new): The container of claim 29, wherein the engagement openings  
include two apertures configured to receive two of the guide members.

Claim 35 (new): The container of claim 34, wherein the two apertures each include at  
least one curved edge.

Claim 36 (new): The container of claim 29, wherein a width of at least one of the  
engagement openings indicates a type of the toner held by the container body.

Claim 37 (new): The container of claim 29, wherein the engagement openings  
include two openings positioned on opposite sides of a center axis of the circular outlet.

Claim 38 (new): The container of claim 33, wherein the engagement openings include two apertures configured to receive two of the guide members.

Claim 39 (new): The container of claim 38, wherein the two apertures each include at least one curved edge.

Claim 40 (new): The container of claim 33, wherein a width of at least one of the engagement openings indicates a type of the toner held by the container body.

Claim 41 (new): The container of claim 33, wherein the engagement openings include two openings positioned on opposite sides of a center axis of the circular outlet.

Claim 42 (new): The container of claim 33, wherein the container body includes a container opening to which the mouthpiece is attachable.

Claim 43 (new): The container of claim 33, wherein the engagement openings are configured to indicate a type of the toner held by the container body.

Claim 44 (new): The container of claim 43, wherein the engagement openings are positioned about the circular outlet according to the type of the toner held by the container body.

Claim 45 (new): A toner container comprising:  
a container body configured to hold toner;  
a mouthpiece configured to deliver toner from the container body, the mouthpiece including,

a circular outlet, and

means for receiving guide protrusions provided at a setting portion on which the container is to be mounted, the means for receiving being located at positions opposed to each other around the circular outlet, and the circular outlet being positioned at a center location between the positions of the means for receiving.

Claim 46 (new): The toner container of claim 45, wherein the means for receiving is positioned on opposite sides of a center axis of the circular outlet.

Claim 47 (new): The container of claim 45, wherein the means for receiving indicate a type of the toner held by the container body.

Claim 48 (new): The container of claim 47, wherein the means for receiving are positioned about the circular outlet according to the type of the toner held by the container body.

Claim 49 (new): A method for handling a toner container, the toner container including,

a container body storing toner, and

a mouthpiece configured to deliver the toner from the container body, the mouthpiece including a circular outlet and engagement openings located at positions opposed to each other around the circular outlet,

the method comprising:

mounting the toner container at a setting portion of an image forming apparatus by inserting guide members provided at the setting portion into the engagement openings; and transferring the toner from the container body through the circular outlet.

Claim 50 (new): The method of claim 49, wherein:

the engagement openings include two apertures, and

the mounting further comprises:

mounting the toner container at the setting portion by inserting the guide members into the two apertures.

Claim 51 (new): The method of claim 49, wherein:

the engagement openings include two curved apertures, and

the mounting further comprises:

mounting the toner container at the setting portion by inserting the guide members into the two curved apertures.

Claim 52 (new): The method of claim 49, wherein:

a width of one of the engagement openings corresponds to a type of the toner held by the container body, and

the mounting further comprises:

mounting the toner container at the setting portion based on the width of one of the engagement openings.

Claim 53 (new): The method of claim 49, wherein:

the engagement openings include two openings positioned on opposite sides of a center axis of the circular outlet, and

the mounting further comprises:

mounting the toner container at the setting portion by inserting the guide members into the two openings.

Claim 54 (new): The method of claim 49, wherein:

the mouthpiece is attached to a container opening of the container body.

Claim 55 (new): The method of claim 49, wherein:

the engagement openings are configured to indicate a type of the toner held by the container body, and

the mounting further comprises:

mounting the toner container at the setting portion based on a configuration of the engagement openings.

Claim 56 (new): The method of claim 55, wherein:

the engagement openings are positioned about the circular outlet according to the type of the toner held by the container body, and

Application No. 10/830,101

Reply to Office Action of August 16, 2004

the mounting further comprises:

mounting the toner container at the setting portion based on a position of the engagement openings about the circular outlet.